


4

3

2

1



V ϕ .44 X 90° BOTH SIDES

ϕ .010 A

.438

1.625

.001 A

B

A

G

.875 \pm .002

G

.001 A

.030-.040 DEEP RECESS FOR
STAMPING INITIALS
(OPTIONAL ON SECOND SIDE)

.06 X 45° Chamfer
4 PLACES

R

.25

.001 A

C

.875

.001 C

.38

2 X 10°

.06

2 X 45°

.88

1.19

3.50

NOTES:

1. MATERIAL: 1020 CD STEEL
2. ALL MILLED SURFACES 125 RMS FINISH
3. BREAK ALL SHARP EDGES .010 MAX.

ALL DIMENSIONS
ARE IN INCHES

TOLERANCES:

.XX \pm .010

.XXX \pm .005

ANGLES \pm .5°

DESIGN	10.2.2008
REVISION	09.27.2011
REVISION	
REVISION	
REVISION	02.10.2013
REVISION	02.10.2013

NHTI: MP101 - MF111

HAMMER HEAD

11 HEAD

3

MP101 - MF

Hammer Head R3 lab by Robert Arredondo is licensed under the Creative Commons Attribution 4.0 International License. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/deed.en_US. AMPed NH



AMPed NH is sponsored by a \$19.97 million grant from the U.S. Department of Labor, Employment & Training Administration TAACCCT Grant #TC-22504-11-60-A-33. The Community College System of NH is an equal opportunity employer, and adaptive equipment is available upon request to persons with disabilities.

This workforce solution was funded by a grant awarded by the U.S. Department of Labor's Employment and Training Administration. The solution was created by the grantee and does not necessarily reflect the official position of the U.S. Department of Labor. The Department of Labor makes no guarantees, warranties, or assurances of any kind, express or implied, with respect to such information, including any information on linked sites, and including, but not limited to accuracy of the information or its completeness, timeliness, usefulness, adequacy, continued availability or ownership



