Name:	: Γ	Date:	12 March 2014	PLEASE SHOW YOUR WORK			
1.	. You need to prepare 30 g of sal acid will you need?		acid 40% in petr	rolatum. How many g of salicylic			
2.	A prescription is written for salicylic acid 1%, menthol 0.25% in triamcinolone 0.1% cream. How much of each of the salicycilic acid and methol should be used if the prescription is for 240 g?						
3.	A prescription is written for Metoprolol tartrate 10 mg/ml oral liquid in a 50:50 mixture of Ora-Sweet:Ora Plus vehicle q.s. 120 ml. How much metoprolol is needed for the compound and how many metoprolol tartrate 100 mg tablets are needed to prepare this compound?						
Use the following to answer questions 4-7:							
Calculo	late days supply for the following	g pres	ecriptions:				
4.	. Ultram 50 mg #20 1 tab q4-6h prn pain	day	ys				
5.	. Terazol-7 cream 45 g Insert 1 applicatorful (5 g) h.s.	for 7d	l da <u>y</u>	ys			
6.	. Nizoral cream 15 g Apply to the affected and surro	undin	g areas once dail	y for 2 weeks days			
7.	. Xanax 0.25 mg #30 one po b.i.	d. and	hs prn	days			
Use the	e following to answer questions	8-10:					
Calculo refills:	- v	if a th	nird-party plan co	overs a 34-day supply and adjust the			

8.	Nitrolingual Pumpspray #2 (200 sprays/container) 1–2 metered doses (400–800 µg) SL. May repeat q5 minutes up to a max. = 3 doses/15 min 2 refills						
		ıty	refills	partial			
9.	9. Nabumetone 500 mg #100 1 g p.o. daily 2 refills						
		ıty	refills	partial			
10.	Zolpidem 10 n One h.s. 2 refills	mg #100. (re	emember zolpide	m, Ambien, is a C IV)			
	0	ıty	refills	partial			

Answer Key

- 1. 12 g
- 2. 2.4 g salicylic acid 0.6 g triamcinolone
- 3. 1200 mg, 12 tablets
- 4. 4
- 5. 7 (*Hint:* Although the weight of cream in the tube could last for 9 days, the doctor has only prescribed the cream for 7 days.)
- 6. 15
- 7. 10
- 8. 1 box + 5 refills (This is a problem that was added to extend to practical applications in the workplace and only provides the information that is provided by prescribers when they write prescriptions. Nitolingual spray is used to treat acute angina attacks and it is only used occasionally. Because of the nature of the medication, third-party plans would cover one box at a time. If one box would be dispensed at a time because of insurance restrictions, it would be necessary to adjust the refills to 8).
- 9. 68, 3, 28 (The dose is two tablets per day. 68 tablets would provide a 34 day supply. If 68 tablets would be dispensed per RX, there would be 3 refills of 68 and one partial refill of 28 would remain).
- 10. 34 tablets & 4 refills + partial refill of 30

This work is licensed under a Creative Commons 3.0 License http://creativecommons.org/licenses/by/3.0



This workforce solution is 100% funded by a grant awarded by the U.S. Department of Labor, Employment and Training Administration, TAACCCT grant agreement # TC-22505-11-60-A-25. The solution was created by the grantee and does not necessarily reflect the official position of the U.S. Department of Labor. The Department of Labor makes no guarantees, warranties, or assurances of any kind, express or implied, with respect to such information, including any information on linked sites and including, but not limited to, accuracy of the information or its completeness, timeliness, usefulness, adequacy, continued availability, or ownership. Massachusetts Community Colleges are equal opportunity employers. Adaptive equipment available upon request for persons with disabilities.